L Number	Hits	Search Text	DB	Time stamp
-	188	handle near4 password	USPAT;	2004/11/01
			US-PGPUB;	15:57
			EPO; DERWENT;	
			IBM TDB	
-	10261	physical near4 virtual	USPAT;	2004/11/02
			US-PGPUB; EPO;	10:30
			DERWENT;	
			IBM_TDB	
-	6	(handle near4 password) and (physical near4 virtual)	USPAT; US-PGPUB;	2004/11/01
		Neary Virtual;	EPO;	13.37
			DERWENT;	
	440		IBM_TDB USPAT;	2004/11/01
-	449	memory adj handle	USPAT; US-PGPUB;	2004/11/01 15:57
			EPO;	
			DERWENT;	
_	2	(memory adj handle) same password	IBM_TDB USPAT;	2004/11/01
	_		US-PGPUB;	15:57
			EPO;	
			DERWENT; IBM TDB	
-	370	handle with password	USPAT;	2004/11/01
			US-PGPUB;	15:58
			EPO; DERWENT;	
			IBM_TDB	
-	14	(handle with password) and (physical	USPAT;	2004/11/01
		near4 virtual)	US-PGPUB; EPO;	15:58
			DERWENT;	
	1114	(1)	IBM_TDB	0004/11/00
_	1114	<pre>(channel path line route connect\$3) near4 (id identi\$8 name address) near4</pre>	USPAT; US-PGPUB;	2004/11/02
		(password ((secret access) adj code))	EPO;	100.10
			DERWENT;	
_	6878	map\$4 with (virtual logical) with	IBM_TDB USPAT;	2004/11/03
		(interface devices physical )	US-PGPUB;	10:38
			EPO;	
			DERWENT; IBM TDB	
-	1043	(map\$4 with (virtual logical) with	USPĀT;	2004/11/02
		(interface devices physical )) and map\$3	US-PGPUB;	11:33
		with process	EPO; DERWENT;	
			IBM_TDB	
-	2	((map\$4 with (virtual logical) with	USPAT; US-PGPUB;	2004/11/02
		<pre>(interface devices physical )) and map\$3 with process) and ((channel path line</pre>	EPO;	10:41
1		route connect\$3) near4 (id identi\$8 name	DERWENT;	
		address) near4 (password ((secret access)	IBM_TDB	
_	263	adj code)))  (map\$4 with (virtual logical) with	USPAT;	2004/11/02
		(interface devices physical )) and map\$3	US-PGPUB;	11:36
		with process with (access\$3 read\$3 writ\$3	EPO;	
		obtain\$3 enter\$3)	DERWENT; IBM TDB	
-	98931	process near3 (id identi\$8 name address	USPAT;	2004/11/02
		pointer handle)	US-PGPUB; EPO;	11:38
			DERWENT;	
			IBM_TDB	

-	192	((map\$4 with (virtual logical) with	USPAT;	2004/11/02
		(interface devices physical )) and map\$3	US-PGPUB;	12:18
		with process with (access\$3 read\$3 writ\$3	EPO;	
		obtain\$3 enter\$3)) and (process near3 (id	DERWENT;	
		identi\$8 name address pointer handle))	IBM_TDB	2004/11/02
-	2	(((map\$4 with (virtual logical) with	USPAT; US-PGPUB;	2004/11/02
		(interface devices physical )) and map\$3	·	11:38
		with process with (access\$3 read\$3 writ\$3	EPO; DERWENT;	
		obtain\$3 enter\$3)) and (process near3 (id		
		identi\$8 name address pointer handle)))   and process near5 (password ((secret	IBM_TDB	
		access) adj code))		
1_	14387	713/200-202.ccls. 345/568.ccls.	USPAT;	2004/11/03
	14307	711/202-203,205-208.ccls.	US-PGPUB;	10:49
		379/221.15.ccls. 370/397,399.ccls.	EPO;	10.13
		709/225,227,249,250.ccls.	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
_	74	(((map\$4 with (virtual logical) with	USPAT;	2004/11/03
	'*	(interface devices physical )) and map\$3	US-PGPUB;	09:50
		with process with (access\$3 read\$3 writ\$3	EPO;	
		obtain\$3 enter\$3)) and (process near3 (id	DERWENT;	
		identi\$8 name address pointer handle)))	IBM TDB	
		and (713/200-202.ccls. 345/568.ccls.	_	
		711/202-203,205-208.ccls.		
		379/221.15.ccls. 370/397,399.ccls.		
		709/225,227,249,250.ccls.)		
_	21	1 12 11	USPAT;	2004/11/03
		near5 thread	US-PGPUB;	11:11
ì			EPO;	
			DERWENT;	
			IBM_TDB	
-	9295		USPAT;	2004/11/03
		near5 (process thread program routine	US-PGPUB;	11:15
		sub\$1routine procedure function)	EPO;	
			DERWENT;	
			IBM_TDB	
-	6879	map\$4 with (virtual logical) with	USPAT;	2004/11/03
		(interface devices physical)	US-PGPUB;	11:15
			EPO; DERWENT;	
			IBM TDB	
l _	18256	713/200-202.ccls. 345/568.ccls.	USPAT;	2004/11/03
	10250	711/202-203,205-208.ccls.	US-PGPUB;	12:11
		379/221.15.ccls. 370/397,399.ccls.	EPO;	12.11
		709/225,227,249,250.ccls.	DERWENT;	
		718/1,100,101,106.ccls. 719/311-313.ccls.	IBM_TDB	
		710/36,107,109,220.ccls.		
_	2922	(map\$4 with (virtual logical) with	USPAT;	2004/11/03
		(interface devices physical)) same	US-PGPUB;	11:04
		(process thread program routine	EPO;	
		sub\$1routine procedure function)	DERWENT;	
		<u> </u>	IBM_TDB	
-	1493	(map\$4 with (virtual logical) with	USPĀT;	2004/11/03
	1	(interface devices physical)) with	US-PGPUB;	11:16
		(process thread program routine	EPO;	
		sub\$1routine procedure function)	DERWENT;	
			IBM_TDB	
-	314779	(id identi\$8 name address) near5 (process	USPAT;	2004/11/03
		thread program routine sub\$1routine	US-PGPUB;	11:16
		procedure function)	EPO;	
			DERWENT;	
			IBM_TDB	0004/11/00
_	1134	((map\$4 with (virtual logical) with	USPAT;	2004/11/03
		(interface devices physical)) with	US-PGPUB;	11:06
		(process thread program routine sub\$1routine procedure function)) and	EPO; DERWENT;	
		((id identi\$8 name address) near5	IBM TDB	
		() (process thread program routine	1 DE 1 DE	
		sub\$1routine procedure function))		
L	l	Santitoucité procedure runction,		L

		17.13.13.140	1	10004/11/00
_	316348	<pre>(pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)</pre>	USPAT; US-PGPUB; EPO; DERWENT;	2004/11/03
-	1135	<pre>((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and ((map\$4 with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03 11:06
-	32323	(pid id identi\$8 name address) near5 map	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 11:17
-	706	(((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and ((map\$4 with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function))) and ((pid id identi\$8 name address) near5 map)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03 11:08
-	254		USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03 11:08
-	138		USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 11:13
-	1	(((((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and ((map\$4 with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function)) and ((pid id identi\$8 name address) near5 map)) and (713/200-202.ccls. 345/568.ccls. 711/202-203,205-208.ccls. 379/221.15.ccls. 370/397,399.ccls. 709/225,227,249,250.ccls. 718/1,100,101,106.ccls. 719/311-313.ccls. 710/36,107,109,220.ccls.)) and ((password ((secret access) adj code)) near5 map)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03 11:12
-	6703	(password ((secret access) adj code)) near5 (map table list log record)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 11:14

			·	
_	2	((password ((secret access) adj code)) near5 (map table list log record)) and	USPAT; US-PGPUB;	2004/11/03 11:14
		(((((pid id identi\$8 name address) near5	EPO;	
		(process thread program routine	DERWENT;	
		sub\$1routine procedure function)) and	IBM_TDB	1
		((map\$4 with (virtual logical) with	1	
		(interface devices physical)) with (process thread program routine		
		sub\$1routine procedure function))) and		
		((pid id identi\$8 name address) near5		
		map)) and (713/200-202.ccls.		
		345/568.ccls. 711/202-203,205-208.ccls.		
		379/221.15.ccls. 370/397,399.ccls.		]
		709/225,227,249,250.ccls.		1
		718/1,100,101,106.ccls. 719/311-313.ccls.		
	2087	710/36,107,109,220.ccls.))	11GD3.00	2004/11/02
-	2087	((password ((secret access) adj code)) near5 (map table list log record)) and	USPAT; US-PGPUB;	2004/11/03
		((password ((secret access) adj code))	EPO;	11.13
		near5 (process thread program routine	DERWENT;	
	[	sub\$1routine procedure function))	IBM TDB	
-	9721	(map table list log record) with (virtual	USPAT;	2004/11/03
		logical) with (interface devices	US-PGPUB;	11:15
		physical)	EPO;	
			DERWENT;	
			IBM_TDB	0004/11/00
-	2044	((map table list log record) with	USPAT;	2004/11/03
		<pre>(virtual logical) with (interface devices physical)) with (process thread program</pre>	US-PGPUB; EPO;	11:16
		routine sub\$1routine procedure function)	DERWENT;	
			IBM TDB	]
-	1566	((pid id identi\$8 name address) near5	USPAT;	2004/11/03
		(process thread program routine	US-PGPUB;	11:17
		sub\$1routine procedure function)) and	EPO;	
		(((map table list log record) with	DERWENT;	
		(virtual logical) with (interface devices	IBM_TDB	
		<pre>physical)) with (process thread program routine sub\$1routine procedure function))</pre>		
_	208741	(pid id identi\$8 name address) near5 (map	USPAT;	2004/11/03
	200741	table list log record)	US-PGPUB;	11:18
		<del></del>	EPO;	
			DERWENT;	
			IBM_TDB	
-	1434	(((pid id identi\$8 name address) near5	USPAT;	2004/11/03
		(process thread program routine	US-PGPUB;	11:18
		<pre>sub\$1routine procedure function)) and (((map table list log record) with</pre>	EPO;	
		((\map table list log record) with (virtual logical) with (interface devices	DERWENT; IBM TDB	
		physical)) with (process thread program	121111111111111111111111111111111111111	
		routine sub\$1routine procedure		
		function))) and ((pid id identi\$8 name		
		address) near5 (map table list log		
		record))		
-	1211	((((pid id identi\$8 name address) near5	USPAT;	2004/11/03
		(process thread program routine	US-PGPUB;	11:19
		<pre>sub\$1routine procedure function)) and (((map table list log record) with</pre>	EPO;	
		(((map table list log record) with (virtual logical) with (interface devices	DERWENT; IBM TDB	
		physical)) with (process thread program	1011_100	
]		routine sub\$1routine procedure		
		function))) and ((pid id identi\$8 name		
		address) near5 (map table list log		
		record))) and (pid id identi\$8 name		
		address) near5 (access\$3 retriev\$3 read\$3		
		writ\$4)		<u> </u>

-	814	((((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and (((map table list log record) with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function))) and ((pid id identi\$8 name address) near5 (map table list log record))) and (pid id identi\$8 name address) near5 (access\$3 retriev\$3 read\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03
-	18	writ\$4) with (map table list log record) ((((pid id identi\$8 name address) near5 (process thread program routine sub\$1routine procedure function)) and (((map table list log record) with (virtual logical) with (interface devices physical)) with (process thread program routine sub\$1routine procedure function))) and ((pid id identi\$8 name address) near5 (map table list log record))) and (pid id identi\$8 name address) near5 (access\$3 retriev\$3 read\$3 writ\$4) with (map table list log record) with (password ((secret access) adj code))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03 11:20
	287	, ,	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/11/03 12:05
-	5789	713/200-202.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 12:21
-	30818	vi near3 (channel path line route connect\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 12:24
-	8	<pre>(vi near3 (channel path line route connect\$3)) with (password ((secret access) adj code))</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 12:24
_	116	(virtual adj interface) near3 (channel path line route connect\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 12:24
_	0	6601146.PN. with (password ((secret access) adj code))	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/11/03 12:25

_	1	((virtual adj interface) near3 (channel	USPAT;	2004/11/03
		path line route connect\$3)) with	US-PGPUB;	12:25
		(password ((secret access) adj code))	EPO;	
			DERWENT;	
			IBM TDB	
-	1	((virtual adj interface) near3 (channel	USPAT;	2004/11/03
		path line route connect\$3)) same	US-PGPUB;	12:25
		(password ((secret access) adj code))	EPO;	
		•	DERWENT;	
			IBM_TDB	
-	10	("5566302"   "5617537"   "5860144"	USPAT	2004/11/03
		"5867656"   "5875483"   "5961606"		12:58
		"6026475"   "6055617"   "6119214"		1
		"6195107").PN.		